

L1 STRUCTURE UPLOADED

=> D L1
L1 HAS NO ANSWERS
L1 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.


=> S L1 fam full
FULL SEARCH INITIATED 10:00:07 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 3 TO ITERATE

100.0% PROCESSED 3 ITERATIONS 1 ANSWERS
SEARCH TIME: 00.00.01

L2 1 SEA FAM FUL L1

=> D L2

L2 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2007 ACS on STN
RN 862589-32-0 REGISTRY
ED Entered STN: 07 Sep 2005
CN Benzenesulfonic acid, 2-[4-(aminocarbonyl)phenoxy]-5-[4-
[(octadecylamino)carbonyl]-2-oxo-1-pyrrolidinyl]- (CA INDEX NAME)
MF C36 H53 N3 O7 S
SR CA
LC STN Files: CA, CAPLUS, CASREACT, TOXCENTER



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

FILE 'CAPLUS' ENTERED AT 10:00:22 ON 28 NOV 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Nov 2007 VOL 147 ISS 23
FILE LAST UPDATED: 27 Nov 2007 (20071127/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>


=> s L2
L3 1 L2

=> D L3 ibib abs kwic hitstr

L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:823449 CAPLUS <<LOGINID::20071128>>
DOCUMENT NUMBER: 143:229556
TITLE: Preparation and use of long-chain alkyl compounds as
heparanase inhibitors
INVENTOR(S): Van Gelder, Joel M.; Basel, Yochai; Kraiz, Boris O.;
Mouallem, Orly; Miron, Daphna; Gur-Arie, Nina; Klein,
Joseph
PATENT ASSIGNEE(S): Insight Biopharmaceuticals Ltd., Israel
SOURCE: PCT Int. Appl., 174 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005074375	A2	20050818	WO 2005-IL149	20050206
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,				

GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,				
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,				
NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,				
TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,				
AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,				
EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,				
RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,				
MR, NE, SN, TD, TG				
AU 2005211255	A1	20050818	AU 2005-211255	20050206
CA 2555313	A1	20050818	CA 2005-2555313	20050206
EP 1720828	A2	20061115	EP 2005-703192	20050206
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,				
IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA,				
HR, LV, MK, YU				
JP 2007525494	T	20070906	JP 2006-552017	20050206
US 2007185176	A1	20070809	US 2006-588554	20060807
PRIORITY APPLN. INFO.:				
OTHER SOURCE(S):		CASREACT 143:229556; MARPAT 143:229556		
GI				



AB The invention provides heparanase inhibitors I-IV (R1 = substituted 5-hydroxy-1-pyrazolyl, carboxamido, carbonylamino, alkylsulfonyl, aryloxy, etc; R2-R7 = independently H, halo, NO₂, C1-32 alkyl, C2-32 alkenyl, C6-14 aryl, heteroaryl, alkoxy, thioalkyl, amino, alkylamino, acyl, acyloxy, etc.; or R1 and R2 may form heterocyclic ring; R8 = C1-32 alkyl; R9 = C2-32 alkenyl) suitable for treatment of diseases and disorders caused by or associated with heparanase catalytic activity such as cancer, inflammatory disorders and autoimmune diseases. Thus, long-chain amide V was prepared in

two steps from stearoyl chloride and di-Me 5-(2-amino-4-methoxycarbonylphenoxy)isophthalate. Amide V inhibited human recombinant heparanase with $IC_{50} = 2.00 \mu M$.

IT	32654-05-0P	57609-85-5P	862589-01-3P	862589-05-7P	862589-09-1P
	862589-10-4P	862589-11-5P	862589-12-6P	862589-13-7P	862589-14-8P
	862589-15-9P	862589-17-1P	862589-18-2P	862589-20-6P	862589-21-7P
	862589-23-9P	862589-25-1P	862589-26-2P	862589-27-3P	862589-28-4P
	862589-29-5P	862589-31-9P	862589-32-0P	862589-33-1P	

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)


(preparation and use of long-chain alkyl compds. as heparanase inhibitors)
IT 862589-32-0P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation and use of long-chain alkyl compds. as heparanase inhibitors)

RN 862589-32-0 CAPLUS

Benzenesulfonic acid, 2-[4-(aminocarbonyl)phenoxy]-5-[4-[(octadecylamino)carbonyl]-2-oxo-1-pyrrolidinyl]- (CA INDEX NAME)



=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:Y

**ESTIMATE: (1) IN RUPEES;
COST IN U.S. DOLLARS**

COST IN U.S. DOLLARS

SINCE FILE ENTRY	TOTAL SESSION
7.02	77.78

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL
CA SUBSCRIBER PRICE ENTRY SESSION
-0.78 -0.78

STN INTERNATIONAL LOGOFF AT 10:02:01 ON 28 NOV 2007

